


TRICOM WL100 VIDEO SWITCHER

1



Side interface:

1) Left side interface:

- 2 * Ø3.5mm MIC IN (Microphone/Collar clip microphone)
- 1 * Ø3.5mm LINE IN (CD Player/Mixer)
- 1 * Ø3.5mm Audio OUT (Headphone/Speaker)

2)Right side interface:

TYPE-C 5V/1.5A USB-A Charge interface (use for wireless HDMI receiver)

3)Rear interface:

- 1 * Power port (DC IN 12V/3A)
- 4 * HDMI Input port
- 1 * HDMI OUPUT port
- 1 * USB TYPE-C 3.0 interface (UVC Capture video interface, connect with Laptop/PC,Recording system,use for live streaming such as OBS/YouTube etc.)

FEATURES

- 4 CH HDMI inputs.
- 1 CH HDMI output.
- USB capture video complying with UVC for live streaming.
- Support resolution 4K@30Hz video HDMI input and output.
- Support PIP (Picture-in-Picture).
- Support third-party streaming software for live broadcast, recording and editing video, such as OBS, YouTube, etc.
- Support embedded audio and multi-channel mixing, and the audio can be set to follow the videoor mixing.
- Support for digital key shortcut and freezing function.
- Support PVW/PGM real-time seamless switching of any channel signals.
- Support single/multi-window switching playback.
- 4 USB power supply ports, can also provide power for peripheral devices.
- Plug and play, intuitive functions, simple and efficient operation.

1.3 CONNECTION SCHEMATIC

